



Features

- FBI Certification
 - FBI PIV Certified (eNBioScan-F)
 - FBI IAFIS IQS Appendix-F Certified (eNBioScan-D Plus)
- System Status Check (eNBioScan-D Plus)
 - LED indicator shows status of device
 - The beep sound indicator
- Advanced Optical Technology
 - Sensor resistant to scratches, impact, vibration and electrostatic shock
- Superior Matching Engine
 - 1st in FVC(Fingerprint Verification Competition)
 - Auto-on Function (eNBioScan-D Plus)
- International Standard Image Format and Interfaces
 - WSQ compression
 - ISO 19794-2 & ANSI 378
- High Quality Image Capturing
- Strong Performance for Wet / Dry Finger

Live Scanner

Application



■ e-passport



■ Immigration



■ National ID



■ Searching Lost Children



■ Criminal Investigation (AFIS)

Specification

Item	eNBioScan - F	eNBioScan - D Plus
Sensing Area	1.2"x 1.2"	1.9"x 1.9"(Roll: 1.6"x 1.5")
Image Size	600 x 600 pixels	952 x 952 pixels (Roll: 800 x 750 pixels)
Resolution	500 DPI	500 DPI
Interface	USB 2.0 High Speed	USB 2.0 High Speed
Operating Temperature	-20 ~ 60°C	-20 ~ 60°C
Operating Humidity	< RH 90%	< RH 90%
Power Source	USB Bus Power	USB Bus Power
Dimensions	71.5(H) x 148(L) x 83(W) mm	73(H) x 180(L) x 93(W) mm
Certificate	KC, CE, FCC, FBI PIV	KC, CE, FCC, FBI Appendix-F
OS	Windows 2000 or higher / Linux (Kernel 2.6.x)	Windows 2000 or higher / Linux (Kernel 2.6.x)
Recommended Specification	P-IV 2GHz / 512MB RAM or higher	Core2Duo 2.4GHz / 1GB RAM or higher
Remarks	Single finger flat / Single finger roll	Dual finger flat & Single finger flat / Single finger roll



NITGEN&COMPANY

Head Office | 12F PAX Tower, 231-13 Nonhyun-dong, Gangnam-gu, Seoul, Korea (135-010)
 R&D Center | B2F PAX Tower, 231-13 Nonhyun-dong, Gangnam-gu, Seoul, Korea (135-010)
 Factory | 105 Ace Techno Tower1, 197-17 Guro-dong, Guro-gu, Seoul, Korea (152-766)
 Contact | E-mail. sales@nitgen.com Tel. +82-2-513-2147 Fax. +82-2-513-2191